

MSDS Material Safety Data Sheet CL-201 Closed Loop Inhibitor

24 Hour Emergency Telephone 3E Company (800) 451-8346

NOTE: 3E Company emergency number to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure or accident. For routine questions or application information, please call Mid-West solutions 219-661-8230

Revision Date: August 1, 2005

SECTION I - PRODUCT IDENTIFICATION

Product/Chemical Name: CL-201 CLOSED LOOP INHIBITOR

Proper Shipping Name: NOT REGULATED BY DOT (IN CONTAINERS LESS THAN 1000 POUNDS)

Hazard Class: NON-HAZARDOUS (DOT)

Hazard ID#: N/A DOT Label: N/A

Completed by and Phone Number: Donald Carr (219) 661-8230

SECTION II - HAZARDOUS COMPONENTS

Hazardous Ingredient Name	CAS Number	% By Weight	OSHA PEL	ACGIH TLV
SODIUM NITRITE (OXIDIZER)	7632-00-0	1-10%	Not Established	Not Established

SECTION III - PHYSICAL DATA

Boiling Point (Degrees F): 215°F Specific Gravity: (WATER=1) 1.016 - 1.017

<u>Vapor Pressure (mm Hg):</u> AS WATER <u>Percent Volatile:</u> NOT AVAILABLE

<u>Vapor Density (Air= 1):</u> AS WATER <u>pH 10% Solution:</u> 7.0-9.0

Solubility In Water: SOLUBLE

Appearance and Odor: CLEAR, SLIGHTLY YELLOW FLUID, BLAND ODOR. MAY BE DYED RED FOR SOME

APPLICATIONS

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used): NOT AVAILABLE
HMIS and NFPA: HEALTH: 1 FIRE: 0 REACTIVITY: 0 UEL: NOT AVAILABLE

Reactivity: 0

Extinguishing Media: PRODUCT CONTAINS WATER. IF WATER IS REMOVED, USE CARBON DIOXIDE, DRY

CHEMICAL OR FOAM.

Special Fire Fighting Instructions; WEAR PROTECTIVE GEAR DURING FIRE FIGHTING

Unusual Fire and Explosion Hazards: IF WATER IS REMOVED, DRIED PRODUCT MAY SUPPORT COMBUSTION

SECTION V - HEALTH HAZARD INFORMATION

<u>Threshold Limit Value:</u> SEE SECTION II. <u>Permissible Exposure Limit:</u> SEE SECTION II.

***Acute Effects ***

Inhalation: MISTS MAY CAUSE IRRITATION OF THE UPPER RESPIRATORY TRACT

Skin: PROLONGED OR REPEATED CONTACT MAY CAUSE SKIN IRRITATION

Eve: MAY CAUSE IRRITATION

Ingestion:. MAY CAUSE NAUSEA OR DISCOMFORT

*** First Aid ***

Inhalation: REMOVE TO A SOURCE OF FRESH AIR.

Mid-West Solutions, Inc.

Industrial Water Treatment www.mid-westsolutions.com

11193 Lawrence Dr Crown Point. IN 46307 Phone: (219) 661-8230 Fax: (219) 661-8230



MSDS Material Safety Data Sheet

24 Hour Emergency Telephone 3E Company (800) 451-8346

NOTE: 3E Company emergency number to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure or accident. For routine questions or application information, please call Mid-West solutions 219-661-8230

CL-201 Closed Loop Inhibitor

Revision Date: August 1, 2005

Phone: (219) 661-8230

Fax: (219) 661-8230

Skin: WASH WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING AND LAUNDER BEFORE REUSING. CONSULT PHYSICIAN IF IRRITATION PERSISTS.

Eve: FLUSH WITH WATER FOR 15 MINUTES. CONSULT PHYSICIAN

Ingestion: IF CONSCIOUS, INDUCE VOMITING AND GET MEDICAL ATTENTION. IF UNCONSCIOUS OR CŎNVULSING, DO NOT INDUCE VOMITING AND GET IMMEDIATE MEDICAL ATTENTION. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

*** Medical Conditions Generally Aggravated By Exposure *** PRE-EXISTING SKIN AND RESPIRATORY CONDITIONS MAY BE AGGRAVATED BY EXPOSURE

SECTION VI - REACTIVITY DATA

Stability: STABLE

Incompatibility (Materials to Avoid): STRONG REDUCING AGENTS Hazardous Decomposition Products: THERMAL; OXIDES OF CARBON

Hazardous Polymerization: WILL NOT OCCUR

SECTION VII - SPILL OR LEAK PROCEDURES

Spill, Leak or Release: BLOCK ANY POTENTIAL ROUTES TO WATER SYSTEMS (E.G., SEWERS, STREAMS, LAKES, ETC.). RECOVER AS MUCH OF THE PURE PRODUCT AS POSSIBLE INTO POLY-DRUMS/CORROSION RESISTANT CONTAINERS. APPLY DRY ABSORBENT MATERIAL AND SWEEP UP THOROUGHLY TO ABSORB ANY MATERIAL THAT CAN NOT READILY BE RECOVERED AS PURE PRODUCT. LATER, DETERMINE IF THIS RECOVERED PRODUCT CAN BE USED FOR ITS INTENDED PURPOSE. ADDRESS CLEAN-UP OF CONTAMINATED ENVIRONMENTS.

Waste Disposal: FOLLOW PERTINENT REGULATION FOR DISPOSAL. IT IS THE RESPONSIBILITY OF THE PRODUCT USER TO DETERMINE, AT THE TIME OF DISPOSAL, WHETHER A MATERIAL CONTAINING THE PRODUCT OR DERIVED FROM THE PRODUCT SHOULD BE CLASSIFIED AS A HAZARDOUS WASTE. (40 CFR 261.20-24)

SECTION VIII - SPECIAL PROTECTION INFORMATION

Respiratory Protection: REQUIRED IF THE EXPOSURE LIMITS IN SECTION II ARE EXCEEDED.

Ventilation: GENERAL MECHANICAL VENTILATION IS ADEQUATE. LOCAL EXHAUST PREFERRED IN MISTING CONDITIONS.

Protective Clothing/Equipment: RUBBER GLOVES, IMPERMEABLE APRON AND SHOES ARE RECOMMENDED.

Eve Protection: ANSI APPROVED CHEMICAL WORKERS GOGGLES OR FULL FACE SHIELD.

Other Protective Equipment: EYE-WASH AND SAFETY SHOWER.

Comments: NEVER EAT, DRINK, OR SMOKE IN WORK AREAS. PRACTICE GOOD PERSONAL HYGIENE AFTER USING THIS MATERIAL.

SECTION IX - SPECIAL PRECAUTIONS

Storage and Handling Conditions. USE WITH ADEQUATE VENTILATION. AVOID CONTACT WITH EYES, SKIN OR CLOTHING. KEEP CONTAINERS CLOSED WHEN NOT IN USE. DO NOT ADD AMINES TO THIS PRODUCT.



MSDS Material Safety Data Sheet CL-201 Closed Loop Inhibitor

24 Hour Emergency Telephone 3E Company (800) 451-8346

NOTE: 3E Company emergency number to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure or accident. For routine questions or application information , please call Mid-West solutions 219-661-8230

Revision Date: August 1, 2005

Phone: (219) 661-8230

Fax: (219) 661-8230

SECTION X - STATE LISTS

<u>California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):</u> THIS PRODUCT DOES NOT CONTAIN ANY COMPONENTS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER OR REPRODUCTIVE TOXICITY ABOVE NO SIGNIFICANT RISK LEVELS.

Michigan Criticals Materials Register: WE HEREBY STATE THE CL-201 DOES NOT CONTAIN ANY OF THE COMPONENTS LISTED IN THE ABOVE.

ADDITIONAL PRODUCT INFORMATION

*** Carcinogens as Defined By ***

NTP : NONE IARC: NONE OSHA: NONE

*** Environmental Information ***

SARA Title III(Superfund Amendments and Reauthorization Act)

THIS PRODUCT CONTAINS NO TOXIC CHEMICAL SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF TITLE III OF THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND 40 CFR PART 372 OTHER THAN A MAXIMUM OF: 10% SODIUM NITRITE (CAS NO. 7632-00-0).

CERCLA (Comprehensive Environmental Response, Compensation and Liability Act) REPORTABLE QUANTITY (in lbs). SODIUM NITRITE (RQ-100 POUNDS OR 1000 POUNDS OF CL-201)

FDA (Food and Drug Administration) 21 CFR 173.310

N/A

TSCA (Toxic Substances Control Act) Applicability

ALL COMPONENTS ARE LISTED ON THE TSCA INVENTORY.

FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act)

THIS PRODUCT IS NOT A REGISTERED PESTICIDE.

Other Information

The information presented herein has been compiled from sources considered to be dependable and is accurate to the best of our knowledge as of the date issued. However, since data, safety standards and government regulations are subject to change and the conditions of handling and use are beyond our control, Mid-West solutions, Inc. make no warranty, express or implied, regarding the accuracy of such data or its suitability for any purchaser's use or for any consequence of its use. The data in this MSDS relates only to the specific material designated here in and does not relate to use in combination with any other material or in any process. Safe handling and use remains the responsibility of the purchaser. Mid-West solutions, Inc. assumes no responsibility for injury to the recipient or to third persons or for any damage to any property and the recipient assumes all such risks.

- End of MSDS -